















SFP Transceiver

10G Transceiver



25G QSFP Transceiver



SFP+ AOC Cable



SFP+ DAC Cable



OFC Patch Cord



SFP Transceiver

Small Form_Factor Pluggable Module



Port	1x 1000 Mbps SC SM
TX wavelength	1310 nm
RX wavelength	1550 nm
Max. distance	20 km / 40 km /80 km / 100 km
Cable type	8.3/125, 8.7/125, 9/125, 10/125 µm
WDM	yes
Module type	SFP
Operating temperature	-40°C ÷ 85°C



Port	1x 10,000 Mbps SC / LC- SM
TX wavelength	1310 nm
RX wavelength	1550 nm
Max. distance	20 km / 40 km /80 km / 100 km
Cable type	8.3/125, 8.7/125, 9/125, 10/125 µm
WDM	yes
Module type	SFP
Operating temperature	-40°C ÷ 85°C



Port	1x 25,000 Mbps SC / LC- SM
TX wavelength	1310 nm
RX wavelength	1550 nm
Max. distance	20 km / 40 km /80 km / 100 km
Cable type	8.3/125, 8.7/125, 9/125, 10/125 µm
WDM	yes
Module type	SFP
Operating temperature	-40°C ÷ 85°C



AOC / DAC / OFC Cable

SFP+ AOC Cable



SFP-10G-AOC compatible 10G SFP+ active optical cable (AOC) consists of a multimode fiber optic cable terminated with SFP+ form factor modules on both ends. And 10G AOC cables offer convenient installation as the modules are permanently attached to each end. SFP+ to SFP+ 10G AOC optical cable is suitable for very short-distance transmission. It provides a cost-effective and low-power consumption way to build a 10Gb link between SFP+ ports of switches or routers with racks and across adjacent racks.

SFP+ DAC Cable



10GBASE-T module offers connectivity options at the following data rates: 100M/1G/10Gbps. It has the SFP+ form factor and an RJ-45 interface so that CAT5e/CAT6A/CAT7 cables can be used to connect to end points with embedded 10GBASE-T ports. They are suitable for distances up to 30 meters and offers a cost-effective way to connect within racks and across adjacent racks.

Fiber Optic Patch Cord



Indoor fiber optic patch cords connect optical devices like routers, switches and servers within buildings or data centers.

Connector Type	SC/ST/FC/LC/MTRJ
Optical Fiber	single-mode G652D,G657A,G657B
Cable Type	PVC & LSZH on request
	0.9mm/2.0mm/3.0mm Simplex & duplex
Cable Color	Yellow for simplex & Orange for Multi-mode & Aqua for OM3
Length	1m , 2m & 3m .Other lengths on request
-	





"Thank You **Contact Us**



+91-8976170656



+91-7897893876



akrutiinfo@hotmail.com



www www.sanset.co.in

UAE Patner Contact

V.R Boss FZE, Po box 56468, Ras Al Khaimah, UAE



☑ Sales@vrboss.com